


## FLOODS, FLASH FLOODS and WARNINGS



















# FLOODS, FLASH FLOODS and WARNINGS

Floods are a natural and inevitable part of life along the rivers of our country. Some floods are seasonal, as when winter or spring rains and melting snows drain down narrow tributaries and fill river basins with too much water, too quickly. Others are sudden, the result of heavy precipitation—these are flash floods, raging torrents which rip through river beds after heavy rains, surge over their banks, and sweep everything before them.

The transformation of a tranquil river into a destructive flood occurs hundreds of times each year. No area of the United States is completely free from the threat of floods. On the average, each year, some 75,000 Americans are driven from their homes by floods; 90 persons are killed; and more than \$250 million worth of property is damaged or destroyed. Floods are also great wasters of water—and water is a priceless national resource.

NOAA, the U.S. Commerce Department's National Oceanic and Atmospheric Administration, keeps a round-the-clock, round-the-calendar watch on the Nation's rivers.

Through its National Weather Service, NOAA maintains a special river and rainfall reporting network, and continually analyzes river and rainfall data to provide river forecasts and flood warnings. The flood warning service is an integral part of NOAA's environmental monitoring and prediction program, which provides timely warnings of atmospheric hazards like hurricanes, tornadoes, and other severe storms, and of earthquake-generated seismic sea waves. As with the other warning services, National Weather Service flood warnings offer time—time to evacuate lowlying areas, time to move property and livestock to higher ground, time to take necessary emergency action. This service saves many millions of




dollars in flood number of lives.

The field or Weather Service service is extens Forecast Center hydrological co supply. From the are provided fo Nation's rivers.

Individual riv soil, ground cov gineering works and dams) whi drologists in the individual proce revise these proalterations affect

Forecast proc the past history ships between p conditions and s ses, hydrologists dures for predict find its way into it will take to r ditions of temp cipitation.

River forecast of a river system casts and warning



dollars in flood losses annually—and an untold number of lives.

rt of life

loods are

ains and

aries and

quickly. precipita-

nts which

ns, surge

ig before

er into a

mes each

ompletely

average,

re driven

re killed;

operty is

lso great

eless na-

ent's Na-

istration,

-calendar

e, NOAA

reporting

and rain-

nd flood

n integral

ring and

ely warn-

ines, tor-

of earth-

with the

r Service

ate low-

livestock

ry emer-

illions of

The field organization behind the National Weather Service's river forecast and flood warning service is extensive. The Weather Service's River Forecast Centers monitor the meteorological and hydrological conditions affecting rivers and water supply. From the Centers, water level predictions are provided for more than 2,500 points on the Nation's rivers.

Individual river basins vary in size, topography, soil, ground cover, and climate, and may have engineering works (for example, dredged channels and dams) which affect the flow of water. Hydrologists in the River Forecast Centers design individual procedures for each river system, and revise these procedures as natural and manmade alterations affect stream channels and basins.

Forecast procedures are designed by studying the past history of each stream and the relationships between precipitation, melting snow, soil conditions and streamflow. Through these analyses, hydrologists develop river forecasting procedures for predicting the amount of water that will find its way into rivers and streams—and the time it will take to reach them—under different conditions of temperature, soil moisture, and precipitation.

River forecasting methods vary for each part of a river system. For the headwaters, early forecasts and warnings are based on radar observations and measured rainfall. To forecast for points on major tributaries, hydrologists project headwater and precipitation forecasts downstream. Stages on the main stem of the river are predicted by combining all tributary forecasts and computing the time it will take the water to reach the forecast points.

River forecasts require continuous information on present and expected atmospheric conditions in the affected area. This information is supplied via special communications links by the National Meteorological Center in Washington, D.C., where satellite pictures, radar observations, computer models of the atmosphere, and data from thousands of observation points around the Nation are combined into accurate, up-to-date weather forecasts.

The area served by a River Forecast Center is divided into one or more river districts. In each district, one Weather Service station is designated as a River District Office. The district office maintains a network of observing stations that report river stages and precipitation amounts. These reports are collected and relayed from the district office to the River Forecast Center.

River forecasts based on atmospheric and hydrologic data are prepared at the Center and then transmitted to River District Offices for distribution to the public by radio, television, and newspapers, and to agencies responsible for flood protection.

hea I adv Ma sev era and

of t

FI

abs war car ret: Riv

to me sim

to

hig har gen

har

floo and cies gree the will spo son

FI

wat quie beg tim the

tori littl wat bee lots cars por tere

con rair in t



o forecast for points ogists project headecasts downstream. e river are predicted recasts and computwater to reach the

tinuous information to spheric conditions ormation is supplied nks by the National nington, D.C., where ervations, computer and data from thouaround the Nation up-to-date weather

r Forecast Center is er districts. In each station is designated district office mainstations that report amounts. These reed from the district enter.

tmospheric and hythe Center and then Offices for distribuelevision, and newsnsible for flood pro-

#### **FLOOD WARNINGS**

Floods begin when soil and vegetation cannot absorb falling rain or melting snow, and when water runs off the land in such quantities that it cannot be carried in normal stream channels or retained in natural ponds and manmade reservoirs. River Forecast Centers issue flood forecasts and warnings when the rain that has fallen is enough to cause rivers to overflow their banks, and when melting snow combines with rainfall to produce similar effects.

Early flood warnings allow time for residents to leave low-lying areas, and to move personal property, mobile equipment, and livestock to higher ground. Sometimes valuable crops can be harvested in advance of a destructive flood. Emergency and relief organizations can prepare to handle refugees and to combat the inevitable health hazards caused by floods.

Flood warnings can be issued hours to days in advance of the flood peak on major tributaries. Main river flood forecasts can be issued as far as several days or even weeks in advance. In general, the time lapse between rainfall or snowmelt and the rise in river height increases with the size of the river.

Flood warnings are forecasts of impending floods, and are distributed to the public by radio and television, and through local emergency agencies. The warning message tells the expected degree of flooding (minor, moderate, or severe), the affected river, and when and where flooding will begin. Careful preparation and prompt response will reduce property loss and ensure personal safety.

#### FLASH FLOOD WARNINGS

On small streams, especially near the head-waters of river basins, water levels may rise quickly in heavy rainstorms, and flash floods can begin before the rain stops falling. There is little time between detection of flood conditions and the arrival of the flood crest. Swift action is essential to the protection of life and property.

Flash floods occur in mountainous areas where torrential thunderstorm rains can change trickling little brooks into raging treacherous torrents of water. In urban areas where the flood plain has been converted to buildings, roads and parking lots, heavy rains can result in flash flooding with cars washed away and considerable damage reported mostly from residential and industrial interests located along the lower ground levels.

NOAA's National Weather Service has helped set up flash flood warning systems in about 100 communities. In these, a volunteer network of rainfall and river observing stations is established in the area, and a local flood warning representative is appointed to collect reports from the network. The representative is authorized to issue official flash flood warnings based upon these reports related to a series of graphs prepared by the National Weather Service. These show the local flooding that will occur under different conditions of soil moisture and rainfall. The representative can thus prepare a flood forecast and spread a warning within minutes. Successful operation of a flash flood warning system requires active community participation and planning, but very little financial outlay. Still the communities with self-help flash flood warning systems are only a small fraction of the thou sands of communities which need them.

The Flash Flood Alarm system is another method by which communities subject to flooding can be provided with warnings. The communities' representatives can request from the nearest Weather Service facility that a flash flood hydrologist inspect the area in order to determine the practicability of the flash flood alarm system for that location.

This system has three components—a river station, an intermediate station, an alarm station. The river station senses the critical water level for flash flooding.

The intermediate station provides power to the river station and couples the river station's signal

output to the alarm station.

The alarm station, which is located in a fire-house, police station or some other appropriate location in the community with 7-day, 24-hour-aday staffing. It receives a continuous signal from the river station and through indicator lamps and/or an audible alarm, provides information on the system's operational status. When the critical level is reached at the river station the alarm is activated. It is then the responsibility of the community to disseminate the warning through their own communications system.

Communities within range of a National Weather Service radar have an additional means of being provided with advance warning when flash-flood-producing rains approach. With modern improvements, radar provides a rapid means of obtaining the location, speed and intensity of the rainfall patterns. Automated rain gages are being installed around these radars which will provide a check on rainfall rates and increase the accuracy of the radars' estimation of rainfall amounts.

These rainfall patterns are also sent to nearby Weather Service Forecast Offices to enable the meteorologists on duty to continually monitor the precipitation being detected by radar.

Besides radar information the meteorologist has computer data, observer reports and weather maps to aid him in evaluating the potential rainfall from the meteorological conditions.

Hydrologists at River Forecast Centers routinely prepare and send flash flood guidance information to the meteorologists. The flash flood guidance lists the rainfall amounts required to cause flash flooding in most sections of the country.

The meteorologist must determine the possibility of flash-flood-producing rains reaching his area of responsibility. When this threat exists a *Flash Flood Watch* is issued to the public.

THE WATCH MEANS CHECK PREPAREDNESS REQUIREMENTS, KEEP INFORMED AND BE READY FOR IMMEDIATE ACTION IF A FLASH FLOOD WARNING IS RELEASED.

When radar or observer reports indicate that flash flooding is likely or is occurring a *Flash Flood Warning* is released.

THE WARNING REQUIRES PROMPT REACTION IF YOU ARE IN AN AREA SUBJECT TO FLOODING. FOLLOW FLASH FLOOD SAFETY RULES.

Flash Flood Warnings are one of the most urgent types of weather warnings issued and they are transmitted to the public by the most rapid means available.

#### **COMMUNITY ACTION**

Whether the flood is seasonal or a flash flood, whether the flood warning is received weeks or hours before the flood crest strikes the town, community action is the key to effective response. It is essential that communities establish an appropriate local organization which can receive flood warnings and disseminate them swiftly to the public. Such organizations should be headquartered where 24-hour operation can be assured, as in the sheriff's office, police department, or other emergency office. The nearest Weather Service Office should be kept informed of the key staff and organization to which flood warnings should be transmitted.

Every resident of a community should know what a forecast river height means in terms of his own situation. He should know, for example, how far his property is above or below anticipated flood levels, and how this elevation relates to the river gages for which forecasts are prepared. He should know the location of safe areas. Many communities have supported flood mapping programs, which make such information readily available to individual citizens.

Community preparedness means that everyone can take positive emergency steps in the face of imminent disaster. Evacuation routes can be established, the emergency operation center can be manned, Red Cross shelters can be designated, and municipal and enforcement officials can be fully mobilized in advance of a destructive flood.

20 FLOOD STAGE FORECASTS predict the river level at a specific river gage; CREST STAGE FORECASTS predict the highest stage, or level in feet, that a river is expected to reach at a specific gage location. These messages permit constructive planning of safe areas and evacuation routes. Ask the Weather Service Office in your area where the river gage nearest your home is located. The City or County Engineer should be consulted to determine what gage levels mean in reference to your property. FLASH FLOODS-no stages can be forecast. Severity of expected flash flooding may be indicated by terms such as minor, moderate, or severe.

rt of life loods are ains and aries and quickly. precipitants which ns, surge g before

er into a nes each impletely average, e driven re killed; ipperty is so great eless na-

ent's Naistration, calendar

e, NOAA

reporting

and rainnd flood integral ring and ly warnnes, torof earthwith the Service ate lowlivestock by emer-

llions of

## FLOOD SAFETY RULES

#### Before the flood:

- 1. Keep on hand materials like sandbags, plywood, plastic sheeting, and lumber.
- 2. Install check valves in building sewer traps, to prevent flood water from backing up in sewer drains.
- 3. Arrange for auxiliary electrical supplies for hospitals and other operations which are critically affected by power failure.
- 4. Keep first aid supplies at hand.
- 5. Keep your automobile fueled; if electric power is cut off, filling stations may not be able to operate pumps for several days.
- 6. Keep a stock of food which requires little cooking and no refrigeration; electric power may be interrupted.
- 7. Keep a portable radio, emergency cooking equipment, lights and flashlights in working order.

### When you receive a flood warning:

- 8. Store drinking water in clean bathtubs, and in various containers. Water service may be interrupted.
- 9. If forced to leave your home and time permits, move essential items to safe ground; fill tanks to keep them from floating away; grease immovable machinery.
- 10. Move to a safe area before access is cut off by flood water.

#### During the flood:

- 11. Avoid areas subject to sudden flooding.
- 12. Do not attempt to cross a flowing stream where water is above your knees.
- 13. Do not attempt to drive over a flooded road—you can be stranded, and trapped.

#### After the flood:

- 14. Do not use fresh food that has come in contact with flood waters.
- 15. Test drinking water for potability: wells should be pumped out and the water tested before drinking.
- 16. Seek necessary medical care at nearest hospital. Food, clothing, shelter, and first aid are available at Red Cross shelters.
- 17. Do not visit disaster area; your presence might hamper rescue and other emergency operations.
- 18. Do not handle live electrical equipment in wet areas; electrical equipment should be checked and dried before returning to service.
- 19. Use flashlights, not lanterns or torches, to examine buildings, flammables may be inside.
- 20. Report broken utility lines to appropriate authorities.

#### FLASH FLOODS

Flash flood waves, moving at incredible speeds, can roll boulders, tear out trees, destroy buildings and bridges, and scour out new channels. Killing walls of water can reach 10 to 20 feet. You won't always have warning that these deadly, sudden floods are coming.

WHEN A FLASH FLOOD WARNING IS ISSUED FOR YOUR AREA OR THE MOMENT YOU FIRST REALIZE THAT A FLASH FLOOD IS IMMINENT, ACT QUICKLY TO SAVE YOURSELF. YOU MAY HAVE ONLY SECONDS.

Get out of areas subject to flooding. Avoid already flooded areas. Do not attempt to cross a flowing stream on foot where water is above your knees. If driving, know the depth of water in a dip before crossing. The road may not be intact under the water. If the vehicle stalls, abandon it immediately and seek higher ground—rapidly rising water may engulf the vehicle and its occupants and sweep them away. Be especially cautious at night when it is harder to recognize flood dangers.

DURING ANY FLOOD EMERGENCY, STAY TUNED TO YOUR RADIO OR TELEVISION STATION. INFORMATION FROM NOAA AND CIVIL EMERGENCY FORCES MAY SAVE YOUR LIFE.



NOAA/PA 71009 (Rev.)